

CANAL SANGER BANGE SANGER SANGERS SANGERS

Koll's Patent Lock-Joint Wood

COLUMNS



Manufactured by

HARTMANN-SANDERS **COMPANY**

CHICAGO NEW YORK

U. S. A.



Catalog and Price List No. 47 1923

Hartmann-Sanders Co.

Elston and Webster Avenues, Chicago, Illinois

NEW YORK OFFICE: 6 East 39th Street

PACIFIC COAST:
A. J. Koll Planing Mill Co., Los Angeles, Cal.

W. P. P. 6m 10-23

ALL PRICES in this CATALOG (No. 47) are subject to the following discounts-

F. O. B. CHICAGO-Discounts Subject to Change Without Notice

Hartmann-Sanders Company

AUG 1 & 125

Manufacturers of

Koll's Patent Lock-Joint Wood Staved and Turned Columns

"The Column of Quality"



We are originators of


Koll's Patent Lock-Joint Wood Stave Columns

They cannot come apart
We guarantee all our work

The Standard for Built-up Columns because of their durability and architectural correctness

Over 85 °C of our business is done with concerns located from five hundred to five thousand miles away, showing how perfect is our organization for handling long range business

Copyright 1923, Hartmann-Sanders Co.



Foreword

WE offer herewith our revised complete price list on Koll's Patent Lock-Joint Staved Wood Columns for exterior and interior work. In compiling this list our aim was to make the same as complete as possible to enable the trade to secure an estimate promptly on all size columns, both large and small. Our hope is that it will be of some real service to the trade and used to our mutual advantage.

Product

In addition to Koll's Patent Lock-Joint Staved Wood Columns for both interior and exterior work in all woods as well as veneered columns, we manufacture Pilasters, Square Columns and Porch Materials to architect's detail; Pergolas, Lattice Work for interior and exterior purposes, and Garden Furniture, Special Mill Work.

The Lock-Joint Stave

We are the originators of "KOLL'S PATENT" Lock-Joint Wood Stave Columns, which cannot come apart.

Our Patent of the Correct Entasis

Correct Entasis Secured in Forming Stave Itself.—All columns manufactured under Koll's Patents are made in our own factory. Every shaft being turned in the lathe, thereby permitting the proper entasis to be secured. The staves are straight one-third and swell-tapered upper two-thirds, so that when shaft is formed the correct entasis is obtained in the rough, securing enough stock at top and bottom of shaft to permit our turning to proper detail and for fluting to form top and bottom turnout or neck-moulding, if any is called for on the shaft itself, without cutting too close to joint. These points of construction will be appreciated by the architect, but are found lacking in other so-called "lock-joint" staved columns.


Quality and Kinds of Lumber

All exterior columns are made out of lumber selected by us with a view of providing the best lumber for column work that money can buy. As our columns are furnished with a guarantee as to their workmanship and durability, we reserve the right to use such lumber, which in our opinion, is best suited for the locality in which the columns will be used. We have a large supply of weather seasoned stock on hand at all times.

Thickness of Stock

As the price of a column is regulated largely by the amount and kind of lumber that enters into its construction, it is very important to state the thickness of stock of which you wish the columns made. Our experience as specialists in column construction has demonstrated

to us that the thickness of stock for the various sizes as called for in the table shown below will provide enough material to carry out the architectural detail properly and afford sufficient strength. Should an unusual load be placed on the columns, they can be reinforced by inserting a timber or iron column.




With Cove on Shaft lik	2-in. Stock	2½-in. Stock	3-in. Stock	4-in. Stock		
Plain Shaft		Up to 16 in.	17 in. to 22 in. 17 in. to 19 in. 23 in. to 28 in.	23 in. to 30 in. 20 in. to 27 in. 29 in. to 39 in.	31 in. and up 28 in. and up 40 in. and up	
Cove Planted on like "B" or made a Base Member like "C"	1½-in. Stock	2-in. Stock	2½-in. Stock	3-in. Stock	4-in. Stock	
Plain Shaft	Up to 12 in. Up to 10 in.	13 in. to 22 in. 12 in. to 22 in.	23 in. to 30 in. 23 in. to 28 in.	31 in. to 40 in. 29 in. to 38 in.	41 in. and up 39 in. and up	

Before ordering columns, it would be well to examine your detail closely and note if the cove is to be part of the shaft or if this can be planted on. We can make the column either way, but of course will have to be guided by what your specifications and details call for.

Splice Joint

In addition to the perfect lock-joint we use to unite the staves of the column together, we have devised a dove-tailed joint to splice the butt-ends of the staves if the length of columns



calls for material longer than can be secured in one piece. It is practically impossible to make a tight butt-joint without this splice. These joints are put together with waterproof glue under screw pressure. These added features make our column mechanically perfect.


Waterproof Glue

The staves of all columns, their caps and bases, and all exterior work produced by us is put together with cold water waterproof glue. We waterproof the inside of all columns and pilasters above 14 inches with a special waterproofing compound.



Chicago HARTMANN'SANDERS COMPANY

New York




Making Columns in Halves

We can make columns in two halves and put them together with hardwood dowels, so that they can be placed around an iron or other structural timbers already in position.

Stopping Flutes

We stop all flutes properly, by means of an attachment to our machines, at a comparatively low cost; the expense of doing this part of the work by hand accounts for its absence on many columns being offered to the trade and on others now in use, an omission that is fatal to the proper architectural effect. We are prepared to furnish columns with any style of fluting or reeding desired.

Steel Reinforcement



A Corrugated Steel Band or Ferrule Reinforcement, as illustrated, is applied to the bottom end of all DORIC COLUMNS that have no base. This is a valuable feature in this type of column, owing to the absence of the base, which permits the water to run under the column, unless it is scribed very closely to porch floor. The steel band, while adding considerable strength to the shaft, permits of some flexibility so that not much injury can be done by moisture that may be absorbed. We also add this reinforcement to both ends of large columns.

Cast Iron Ventilated Plinth

When columns rest on cement, brick or stone floors, we recommend the use of Cast Iron Ventilated Plinths. This will keep the moisture, which is more or less in floors of this kind, from the inside of columns. These plinths have a smooth finish and when painted they harmonize with the finish of the column. See page 33 for further information.

Ventilated Wood Plinth

All exterior columns, with the exception of No. 190 and No. 195 and also No. 195², are provided with ventilated wood plinths, unless otherwise specified. See page 33.

Flashing of Exterior Caps

All Composition or Wood Caps used on Exterior Columns should be flashed with Galvanized Iron, Sheet Lead or Copper. For further information, see page 33.


Details

Unless specified to the contrary when ordering, all columns are made according to the proportions of the styles of architecture as shown by the various cuts in this catalog, but we can, if desired, make them according to the architect's detail.



Chicago HARTMANN'SANDERS COMPANY

New York



Instructions for Ordering Columns and Pilasters

When ordering columns from our catalogue refer always to our Catalogue Numbers—give quantity wanted and size at largest and smallest diameter of shaft, and length over all. State if for INTERIOR or EXTERIOR use. A glance at the cut below will show where measurements are usually taken.

You will be safe in using our catalogue numbers. All our details are carefully planned from the dimensions given by the approved authorities, but we make no extra charge for following your detail, if similar to any of the designs shown in our catalogue.

When ordering pilasters to match columns, give dimensions at top as well as bottom of shaft, or state whether width is to be equal to the largest or smallest diameter of the column, or if they are to have the mean diameter of column shaft or if they are to have the same taper as the column. This, you will note, makes four ways of making square columns and pilasters, and unless we know what is wanted, we cannot enter the order. Give also depth of return. Refer to line drawing of sections of columns and pilasters below when ordering.

We prime all exterior and interior columns (unless made of hardwoods) one coat of lead and oil unless otherwise notified. As interior columns are often stained, this would cause trouble, so that you ought to state in your order if you wish them primed or not. We make no extra charge for priming.


When composition caps are to be used, we furnish without extra cost suitable wood dowels with columns to carry the weight of the overhead work. For instructions in ordering composition capitals, see page 34.

State where and to whom you wish shipment to be sent; also whom you desire to have notified of shipment.

We will promptly furnish estimates on any special column or pilaster work according to architect's drawing and full size details. Our experience with work of this character enables us to correctly interpret the wants of the most discriminating architect.




Section Showing Fluting on 215, 215%, 195, 195% shown in Catalogue




Showing where measurements of Columns should be taken



Section Showing Fluting on all other Columns shown in Catalogue




Sections of Columns and Pilasters



HARTMANN'SANDERS COMPANY

New York



Specifications

As a guide to the architect, we offer the following paragraph for properly specifying our columns in his specifications:

"Should the columns arrive at the building before they are ready to install, they must be stored in the building, or properly protected with waterproof coverings in a thorough manner, including both ends, and top of the column shafts. Do not lay columns directly on the ground."




Shelter House—Fox Memorial Park—La Porte, Indiana Shattuck & Hussey, Architects Columns are 20 inches in diameter and 12 feet high. Design No. 190



HARTMANN'SANDERS COMPANY

New York





No. 190 Greek Doric Plain Turned Shaft

Price on Metal Plinths, see page 33.


For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.

Column No. 190

Diameter at Bottom of Shaft	Length	2-in. Stave	1 ¹ 2-in. Stave	Diameter at Bottom of Shaft	Length	21 ₂ -in. Stave	3-in. Stave
5 & 6 in.	6 ft. 7 " 8 "	\$ 10.00 10.80 11.70	\$ 8.80 9.60 10.50	23 & 24 in.	10 it. 11 " 12 " 13 "	\$ 97.30 103.30 109.30 115.30	\$109.60 116.30 122.90 129.60
7. & 8 in.	6 ft. 7 " 8 " 9 "	12.90 14.00 15.20 16.50	10.90 12.00 13.70 14.50		14 " 15 " 16 " 17 "	121.30 127.50 133.70 140.10	136.30 143.20 150.40 157.90
9 & 10 in.	6 ft. 7 " 8 " 9 "	16.10 17.70 19.50 21.30	12.90 14.70 16.30 18.00	25 & 26 in.	18 " 19 " 20 "	146.70 153.30 160.10	165.60 173.60 181.90
11 & 12 in.	6 ft. 7 " 8 " 9 " 10 "	19.70 21.70 23.90 26.10 28.50	16.00 17.70 19.60 21.60 23.70	25 (0 25 11)	13 " 14 " 15 " 16 " 17 " 18 "	126.90 133.30 139.70 146.10 152.50 158.90	149.20 156.40 163.60 170.80 178.00 185.20
13 & 14 in.	7 ft. 8 " 9 " 10 " 11 "	27.30 30.00 32.80 35.70 38.80		27 & 28 in.	20 " 12 ft. 13 "	165.50 172.10 130.50 137.50	192.70 200.40 160.90 168.50
15 & 16 in.	8 ft. 9 " 10 " 11 " 12 " 13 " 14 " 15 "	36.40 39.90 43.50 47.20 51.10 55.10 59.20 63.50			14 " 15 " 16 " 17 " 18 " 19 " 20 " 21 "	144.40 151.30 158.30 165.20 172.10 179.20 186.40 193.70	176.10 183.70 191.30 198.90 206.50 214.40 222.40 230.90
Diameter at Bottom of Shaft	Length	2-in. Stave	21 ₂ -in. Stave	29 & 30 in.	14 ft. 15 " 16 "	156.00 163.50 170.96	196.80 205.10 212.80
17 & 18 in-	8 ft. 9 " 10 " 11 " 12 " 13 "	\$ 42.00 46.00 50.00 54.10 58.10 62.40	\$ 62.30 66.80 71.30 75.90 80.40 85.20		17 " 18 " 19 " 20 " 21 " 22 "	178.40 185.90 193.30 200.80 208.40 216.10	220.80 228.80 236.80 244.80 253.10 261.60
	14 " 15 " 16 "	66.80 71.30 76.00	90.30 95.50 102.10	31 & 32 in.	16 ft. 17 " 18 "		234.00 242.50 251.10
19 & 20 in.	8 ft. 9 " 10 " 11 " 12 "	49.70 54.00 58.30 62.50 66.80	68.90 74.10 79.30 84.50 89.70		19 " 20 " 21 " 22 "		259.60 268.10 276.70 285.50
	13 " 14 " 15 " 16 "	71.20 75.70 80.40 85.20	95.10 100.50 106.10 111.90	33 &¶34 in.	17 ft. 18 " 19 " 20 " 21 "		264.40 273.50 282.50 291.60 300.70
21 & 22 in.	10 ft. 11 " 12 "	67.30 72.00 76.70	88.80 94.30 99.70		22 " 23 "		309.70 309.70 319.10
	13 " 14 " 15 " 16 " 17 " 18 "	81.30 86.00 90.80 95.70 100.80 106.00	105.20 110.70 116.30 122.00 127.90 133.90	35 & 36 in.	18 ft. 19 " 20 " 21 " 22 " 23 "		298.00 307.20 316.40 325.60 334.80 344.30





Pergola and Bathhouse on Estate of Everett Colby, West Orange, N. J. Lewis Colt Albro, Architect

Pergola Work

Because of the exposure columns are subject to when used for Pergola work, the absolute security of "Koll's Patent Lock-Joint" makes our columns particularly desirable for work of this character.


We are prepared to furnish all material for Pergolas above the foundation, all fitted, ready for erection.


Our experience with this class of work enables us to advise intelligently on this very interesting Garden Feature.



Chicago HARTMANN'SANDERS COMPANY

New York





No. 195 Greek Doric Column Fluted


Price on Metal Plinths, see page 33.


For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.

Column No. 195


Diameter		2 :	11/	Diameter	1		
at Bottom of Shaft	Length	2-in. Stave	1½-in. Stave	at Bottom of Shaft	Length	2½-in. Stave	3-in. Stave
5 & 6 in	6 ft. 7 " 8 "	\$ 13.50 14.30 15.20	\$ 12.30 13.10 14.00	23 & 24 in	10 ft. 11 " 12 "	\$129.90 135.50 141.20	\$141.60 148.00 154.50
7 & 8 in.	6 ft. 7 " 8 " 9 "	17.70 18.80 20.00 21.70	15.70 16.80 18.00 19.30		13 " 14 " 15 " 16 " 17 "	147.10 153.10 159.20 165.50 171.90	161.20 168.00 174.90 182.10 189.60
9 & 10 in.	6 ft. 7 " 8 " 9 "	21.70 23.30 25.15 27.30	18.90 20.50 22.30 24.10	25 & 26 in	18 " 19 " 20 "	178.40 186.70 195.50	197.30 206.90 217.30
11 & 12 in.	6 ft. 7 " 8 " 9 " 10 "	30.10 26.80 28.80 30.90 33.60 36.80	26.10	25 & 20 III	12 ft. 13 " 14 " 15 " 16 " 17 " 18 "	160.80 166.40 172.10 178.10 184.00 190.10 196.40	179.90 186.70 193.60 200.70 207.90 215.20 222.70
13 & 14 in.	6 ft. 7 " 8 " 9 " 10 " 11 "	34.20 36.90 39.60 42.60 45.70 49.20		27 & 28 in	19 " 20 " 12 ft. 13 " 14 "	202.90 211.20 176.50 182.80 189.20	230.10 239.50 204.90 212.30 219.70
15 & 16 in.	8 ft. 9 " 10 " 11 " 12 " 13 " 14 "	48.30 51.70 55.30 59.90 64.50 70.10 75.50			15 " 16 " 17 " 18 " 19 " 20 " 21 "	195.70 202.40 209.20 216.10 223.20 230.40 239.30	227.30 234.90 242.70 250.50 258.40 266.50 276.50
Diameter at Bottom of Shaft	15 " Length	2-in. Stave	2½-in. Stave	29 & 30 in	14 ft. 15 " 16 "	209.20 216.00 222.90	250.10 256.90 264.50
7 & 18 in	8 ft. 9 " 10 " 11 " 12 " 13 "	\$ 57.30 61.30 65.30 69.30 73.50 77.70	\$ 78.70 82.50 86.50 91.10 95.70 100.50		17 " 18 " 19 " 20 " 21 " 22 "	230.30 237.50 244.80 252.30 259.90 269.60	272.30 280.10 288.10 296.30 304.50 315.10
	14 " 15 " 16 "	82.90 88.70 94.50	106.40 112.80 119.30	31 & 32 in	16 ft. 17 " 18 "		292.80 300.90 310.50
19 & 20 in	8 ft. 9 " 10 " 11 "	69.50 73.70 78.00 82.30	88.70 93.90 99.10 104.30		19 " 20 " 21 " 22 "		318.90 327.50 336.10 344.90
	12 " 13 " 14 " 15 " 16 "	86.50 90.90 95.50 100.90 106.50	109.50 114.80 120.30 126.70 133.20	33 & 34 in	17 ft. 18 " 19 " 20 " 21 "		333.30 342.00 350.80 359.70
21 & 22 in.	10 ft. 11 " 12 "	94.00 98.40 102.90	116.00 121.10 126.30		22 " 23 "		368.80 378.00 387.30
	13 " 14 " 15 " 16 " 17 " 18 "	107.60 112.40 117.20 122.10 128.80 135.60	131.60 137.10 142.70 148.40 155.90 163.50	35 & 36 in	18 ft. 19 " 20 " 21 " 22 " 23 "		375.30 384.30 393.30 402.50 411.90 421.30









Pergola for Dr. Ernest Fahnestock, Shrewsbury, N. J.
Albro and Lindeberg, Architects
Columns are our No. 195%











Price on Metal Plinths, see page 33.

For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.

23 421.30 All prices are F. O. B. Chicago. For weights and freight rate, see page 48.

35 & 36 in.

18 ft.

20 "

19

21

22

121.10

126.30

131.60

137.10

142.70

148.40

155.90

163.50

11

12

13

44 14

66 15

16 "

18 "

17

98.40

102.90

107.60

112.40 117.20

122.10

128.80

135.60

387.30


375.30

384.30

393.30

402.50

411.90





No. 200 Tuscan Column




No. 210 Roman Doric Column



No. 220
Plain Column
Doric Cap Attic Base

Price on Pilasters to match above Columns. Percentages shown are based on Column prices. Price for Section not covered by this Schedule given on application.

Bottom Face of Pilaster	Section "F"	Section "H"	Section "K"
5- 6 in. 7- 8 " 9-10 " 11-12 " 13-14 " 15-16 " 17-22 " 23-30 " 31-36 "	10° c less 10° c " 15° c " 20° c " 25° c " 30° c " 40° c "	40% more 30% " 20% " 20% " 10% " Same as Col. 10% less 25% "	45% more 35% " 25% " 15% " 5% " Same as Col. 15% less 30% "



Sections of Columns and Pilasters



No. 220-F Pilaster to match Column No. 220


Price on Metal Plinths, see page 33.


For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.

Columns Nos. 200, 210 & 220

Diameter at Bottom of Shaft	Length	2-in. Stave	1½-in. Stave	Diameter at Bottom of Shaft	Length	2½-in. Stave	3-in. Stave
5 & 6 in	6 ft. 7 " 8 "	\$ 10.40 11.20 12.10	\$ 9.20 10.00 10.90	23 & 24 in	14 ft. 15 " 16 "	\$128.90 135.10 141.30	\$143,90 150.80 158.00
7 & 8 in.	6 ft. 7 " 8 " 9 "	13.70 14.80 16.00 17.30	11.70 12.80 14.00 15.30		18 " 19 " 20 " 21 "	147.70 154.30 160.90 167.80 174.50	165.50 173.20 181.20 189.50 198.00
9 & 10 in-	6 ft. 7 " 8 " 9 "	17.30 18.90 20.70 22.50	14.40 15.90 17.50 19.20	25 & 26 in	22 " 23 " 24 "	181.50 188.50 195.70	206.80 215.90 225.20 194.00
11 & 12 in	10 " 6 ft. 7 " 8 " 9 " 10 "	24.50 21.30 23.30 25.50 27.70 30.10	21.10 17.60 19.30 21.10 23.20 25.30		19 " 20 " 21 " 22 " 23 " 24 " 25 "	174.30 180.90 187.70 194.70 201.70 208.90 216.30	201.50 209.20 217.20 225.50 234.00 242.80 251.90
13 & 14 in	7 ft. 8 " 9 " 10 " 11 " 12 "	29.30 32.00 34.80 37.70 40.80 44.00		27 & 28 in	26 " 18 ft. 19 " 20 " 21 "	223.70 182.10 189.20 196.40 203.70	261.20 216.50 224.40 232.50 240.90
15 & 16 in.	8 ft. 9 " 10 " 11 " 12 "	39.20 42.70 46.30 50.00 53.90			22 " 23 " 24 " 25 " 26 "	211.20 218.80 226.50 234.40 242.40	249.60 258.50 267.70 276.20 286.90
	13 " 14 " 15 "	57,90 60.70 66.30		29 & 30 in	20 ft. 21 " 22 " 23 "	212.00 219.60 227.30 235.20	256.00 264.30 272.80 281.60
Diameter at Bottom of Shaft	Length 10 It	2 in_ Stave \$ 54.00	\$ 75.20		24 " 25 " 26 " 27 "	243.20 251.30 259.60	290.70 300.00 309.60
	11 " 12 " 13 " 14 " 15 " 16 " 17 " 18 "	58.00 62.10 66.40 70.80 75.30 80.00 84.80 89.70 94.80	79.70 84.40 89.20 94.30 99.50 104.80 110.30 115.90 121.60	31 & 32 in	21 ft 22 " 23 " 24 " 25 " 26 " 27 " 28 "	268.00	319.50 289.10 297.90 306.90 316.30 325.90 335.70 345.90 356.30
19 & 20 in.	12 ft. 13 " 14 " 15 " 16 " 17 " 18 " 19 "	72.00 76.40 80.90 85.60 90.40 95.30 100.40 105.60 110.90	94.90 100.30 105.70 111.30 117.10 122.90 128.90 135.20 141.30	33 & 34 in	22 ft 23 " 24 " 25 " 26 " 27 " 28 " 29 "		323 30 332.70 342.10 351.60 362.30 373.70 383.30 394.30
21 & 22 in.	14 ft. 15 " 16 " 17 " 18 " 19 " 20 " 21 "	92.40 97.20 102.10 107.20 112.40 117.70 123.20 128.80	117.10 122.70 128.40 134.30 140.30 146.40 152.70	35 & 36 in.	23 ft. 24 " 25 " 26 " 27 " 28 " 29 "		359.10 368.90 379.10 389.50 400.00 411.00 422.30 433.70





No. 215
Roman Doric Column
Fluted





 $\begin{array}{c} No.~215\% \\ \text{Roman Doric Column} \\ \text{Fluted Upper } \% \end{array}$

Price on Pilasters to match above Columns. Percentages shown are based on Column prices.

Price for Section not covered by this Schedule given on application.

Bottom Face	Section "F"	Section	Section
of Pilaster		"H"	"K"
5- 6 in. 7- 8 " 9-10 " 11-12 " 13-14 " 15-16 " 17-22 " 23-30 " 31-36 "	Same as Col. 10% less 10% 15% 20% 20% 35% 40%	50% more 40% " 25% " 25% " 15% " 5% " 5% less 15% "	55% more 45% " 35% " 30% " 20% " 10% " Same as Col. 10% less 20% "





No. 215-F

Pilaster
to match

Roman Doric Column
No. 215

Price on Metal Plinths, see page 33.

For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.

Columns Nos. 215-2152/3

Diameter at Bottom of Shaft	Length	2-in. Stave	1½-in. Stave	Diameter at Bottom of Shaft	Length	2½-in. Stave	3-in. Stave
5 & 6 in.	6 ft. 7 " 8 "	\$ 13.90 14.70 15.60	\$ 12.60 13.50 14.40	23 & 24 in.	14 ft. 15 " 16 " 17 "	\$160.80 166.80 173.10	\$174.60 182.50 189.70 197.20
7 & 8 in.	6 ft. 7 " 8 " 9 "	18.50 19.60 20.80 22.50	16.50 17.60 18.80 20.10		18 " 19 " 20 " 21 "	179 50 186.00 195.30 203.00 211.00	204.90 214.50 224.90 234.50
9 & 10 in.	6 ft. 7 " 8 " 9 " 10 "	22.90 24.50 26.30 28.50	20.10 21.70 23.50 25.30	25 & 26 in.	22 " 23 " 24 " 18 "	219.20 227.50 235.90 205.20	244.50 254.80 265.00 231.50
11 & 12 in.	6 ft. 7 " 8 " 9 " 10 "	31.30 28.40 30.40 32.50 35.20 38.40	27.30		19 " 20 " 21 " 22 " 23 " 24 " 25 "	211.70 220.00 228.40 236.90 246.20 254.30 262.10	238.90 248.30 257.90 267.70 277.50 287.50 297.70
13 & 14 in.	7 ft. 8 " 9 " 10 " 11 " 12 "	38.50 41.20 44.00 47.30 50.80 54.40	0	27 & 28 in.	26 " 18 ft. 19 " 20 " 21 "	270.80 226.10 233.20 240.40 249.30	310.90 260.50 268.40 276.50 286.50
15 & 16 in.	8 ft. 9 " 10 " 11 " 12 "	51.10 54.50 58.10 62.70 67.30			22 " 23 " 24 " 25 " 26 "	258.40 267.60 276.50 285.60 294.80	296.80 307.30 317.70 328.40 339.30
	13 " 14 " 15 "	72.90 77.30 82.70		29 & 30 in.	20 ft. 21 " 22 " 23 "	263.50 271.10 280.80	307.50 315.70 326.30
Diameter at Bottom of Shaft	Length	2-in. Stave	21 ₂ -in. Stave		24 " 25 "	290.70 300.70 310.80	337.10 348.10 359.50
17 & 18 in.	10 ft. 11 " 12 " 13 " 14 " 15 " 16 " 17 " 18 " 19 "	\$ 69.30 73.30 77.50 81.70 86.90 92.50 98.50 104.50 110.70 116.90	\$ 90.50 95.10 99.70 104.50 110.40 116.50 123.30 130.00 136.80 143.70	31 & 32 in.	26 " 27 " 21 ft. 22 " 23 " 24 " 25 " 26 " 27 " 28 "	320.70 330.70	370.80 382.10 348.50 357.70 368.40 379.70 391.30 403.20 414.90 426.90
19 & 20 in.	12 ft. 13 " 14 " 15 " 16 " 17 " 18 " 19 " 20 "	91.70 96.10 100.70 106.10 111.70 118.30 124.50 130.90 137.50	114.70 120.00 125.50 131.90 138.40 145.90 153.10 160.40 167.10	33 & 34 in.	22 ft. 23 " 24 " 25 " 26 " 27 " 28 " 29 "		391.60 400.90 412.40 423.90 436.50 448.90 461.20 473.70
21 & 22 in.	14 ft. 15 " 16 " 17 " 18 " 19 " 20 " 21 "	118.80 123.60 128.50 135.30 142.00 148.50 155.20 162.00	143.50 149.10 154.80 162.30 169.90 177.20 184.70 192.10	35 & 36 in.	23 ft. 24 " 25 " 26 " 27 " 28 " 29 " 30 "		436.10 446.00 458.50 471.30 484.40 497.70 511.30 525.20



No. 205 Tuscan Column Fluted



No. 225 Fluted Column Doric Cap Attic Base

Price on Pilasters to match above Columns. Percentages shown are based on Column prices.

Price for Section not covered by this Schedule given on application.

5- 6 in. Same as Col.	H.,	117 - 11
7- 8 " 9-10 " 11-12 " 13-14 " 15-16 " 17-22 " 23-30 " 35-76 "	50' 6 more 40' 6 " 25' 6 " 250' 6 " 15' 6 " 5' 6 less	55 6 more 45 6 " 35 6 " 30 6 " 20 7 6 " 10 7 6 " Same as Col


A B C D E F G H (L (J K) () () ()

Sections of Columns and Pilasters



Chicago HARTMANN'SANDERS COMPANY

New York





No. 225-F Fluted Pilaster to match Column No. 225

Price on Metal Plinths, see page 33.

For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.

Columns Nos. 205, 225

Diameter at Bottom of Shaft	Length	2-in. Stave	1½-in. Stave	Diameter at Bottom of Shaft	Length	2-in. Stave	3-in. Stave
5 & 6 in	6 ft. 7 " 8 "	\$ 13.10 13.90 14.80	\$ 11.90 12.70 13.60	23 & 24 in.	14 ft. 15 " 16 "	\$152.70 158.80 165.10	\$167.60 174.50 181.70
7 & 8 in.	6 ft. 7 " 8 " 9 "	17.20 18.30 19.50 21.20	15.20 16.30 17.50 19.20		18 " 19 " 20 " 21 "	171.50 178.00 185.90 193.90 202.00	189.20 196.90 206.10 215.60 225.30
9 & 10 in.	6 ft. 7 " 8 " 9 "	21.30 22.90 24.70 26.90 29.30	18.40 19.70 21.50 23.60	25 & 26 in.	22 " 23 " 24 " 18 ft.	210.00 218.30 226.70	235.30 245.60 256.10 222.70
11 & 12 in	6 ft. 7 " 8 " 9 "	26.10 28.10 30.30 32.60 35.00	25.90		19 " 20 " 21 " 22 " 23 " 24 " 25 "	202.90 210.70 218.70 226.80 235.10 243.50 252.00	230.10 239.10 248.30 257.70 267.50 277.50 287.70
13 & 14 in.	7 ft. 8 " 9 " 10 " 11 " 12 "	36.00 38.70 41.50 44.80 48.30 51.90		27 & 28 in.	26 " 18 ft. 19 " 20 " 21 "	260.70 216.00 223.10 230.30 238.80	298,30 250,40 258,30 266,40 276,00
15 & 16 in.	8 ft. 9 " 10 " 11 " 12 "	48.00 51.50 55.10 59.60 64.30			22 " 23 " 24 " 25 " 26 "	247.50 256.30 265.20 274.30 283.50	285.90 296.00 306.40 317.10 328.00
- T	13 " 14 " 15 "	69.10 74.00 78.90		29 & 30 in.	20 ft 21 " 22 "		295.60 303.90 314.00
Diameter at Bottom of Shalt	Length	2-in Stave	21 ₂ -in. Stave		24 "		324.40 335.10
17 & 18 in	10 tt, 11 " 12 "	\$ 65,90 69,80 74,00	\$ 87.10 91.60 96.30		25 " 26 " 27 "		346.00 357.20 368.50
	13 " 14 " 15 " 16 " 17 " 18 " 19 "	78.30 83.50 88.80 94.30 99.90 105.60 111.50	101.10 106.90 112.90 118.90 125.30 131.70 138.30	31 & 32 in	21 ft. 22 " 23 " 24 " 25 " 26 " 27 " 28 "		334.80 343.60 354.30 365.20 376.40 387.90 399.60 411.60
19 & 20 in	12 ft 13 " 14 " 15 " 16 " 17 " 18 " 20 "	87.50 91.90 96.40 101.90 107.50 113.20 119.10 125.10 131.20	110.40 115.70 121.20 127.60 134.10 140.80 147.60 154.90 161.60	33 & 34 in.	22 ft. 23 " 24 " 25 " 26 " 27 " 28 " 29 "		375.70 385.10 396.30 407.20 419.50 431.50 444.70 456.30
21 & 22 in	14 ft. 15 " 16 " 17 " 18 " 20 " 21 "	112.70 116.50 121.50 127.70 134.10 140.70 147.30 154.10	136.40 142.00 147.70 154.80 162.00 169.30 176.80 184.40	35 & 36 în.	23 ft. 24 " 25 " 26 " 27 " 28 " 29 " 30 "		418.40 428.30 440.40 452.80 465.50 478.40 491.60 508.40





No. 230
Plain Column
Roman Ionic Cap
Attic Base



No. 240
Plain Column
Angular Ionic Cap
Attic Base





No. 260
Plain Column
Greek Ionic Cap
Attic Base

Price on Pilasters to match above Columns. Percentages shown are based on Column prices.

Price for Section not covered by this Schedule given on application.

Button Face of Pilanter	See than	Section "H"	Section "K"
5 - 6 in. 7 - 8 * 9 - 10 * 11-12 * 13 14 * 15 16 * 17 - 22 * 23 30 * 31 36 *	10° c less 10° c " 15° c " 15° c " 20° c " 25° c " 30° c " 40° c "	40' c more 30' c " 20' c " 20' c " 5ame as Col. 10' c less 25' c "	45% more 35% " 25% " 25% " 15% " 56% " Same as Col 15% less





Columns Nos. 230, 240, 260, 270



No. 270 Plain Column Angular Greek Ionic Cap Attic Base

Price on Metal Plinths, see page 33.


For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.


Prices on Interior Columns in Hardwoods quoted on application.

Diameter at Bottom of Shaft	Length	2-in. Stave	1½-in. Stave	Diameter at Bottom of Shaft	Length	2½-in. Stave	3-in. Stave
5 & 6 in.	6 ft. 7 " 8 "	\$ 12.70 13.50 14.40	\$ 11.50 12.30 13.30	23 & 24 in.	14 ft. 15 " 16 "	\$152.70 158.80 165.10	\$167.60 174.50 181.70
7 & 8 in.	6 ft. 7 " 8 " 9 "	16.40 17.50 18.70 20.00	14.40 15.50 16.70 18.00		18 " 19 " 20 " 21 "	171.50 178.00 184.70 191.50 198.30	189.20 196.90 204.90 213.20 221.70
9 & 10 in.	6 ft. 7 " 8 " 9 "	20.90 22.50 24.30 26.10	18.00 19.50 21.10 22.80	25 & 26 in.	22 " 23 " 24 " 18 ft.	205.20 212.30 219.70	230.50 239.60 248.90 222.30
11 & 12 in.	10 " 6 ft. 7 " 8 " 9 " 10 "	28.10 26.00 28.00 30.10 32.40 34.80	24.70 22.30 24.00 25.90 27.90 30.00		19 " 20 " 21 " 22 " 23 " 24 " 25 "	202.50 209.20 -216.00 222.90 230.00 237.20 244.50	229.70 237.40 245.50 253.70 262.30 271.10 280.10
13 & 14 in.	7 ft. 8 " 9 " 10 " 11 "	35.30 38.00 40.80 43.70 46.80		27 & 28 in.	26 " 18 ft. 19 " 20 "	253.00 214.90 222.00 229.20	289.50 249.30 257.20 265.30
15 & 16 in.	8 ft. 9 " 10 " 11 "	50.00 47.20 50.70 54.60 58.00			21 " 22 " 23 " 24 " 25 " 26 "	236.50 244.00 251.60 259.30 267.20 275.20	273.70 282.40 291.30 300.50 310.00 319.70
	12 " 13 " 14 " 15 "	61.90 65.90 70.00 74.30		29 & 30 in.	20 ft, 21 " 22 "	250.00 257.60 265.30	194.00 302.30 310.80
Diameter at Bottom of Shaft 17 & 18 in.	Length 10 ft. 11 "	2-in. Stave \$ 64.90 68.90	2½-in. Stave \$ 86.10 90.70		23 " 24 " 25 " 26 " 27 "	273.20 281.20 289.30 297.60 306.00	319.60 328.60 338.00 347.60 357.50
	12 " 13 " 14 " 15 " 16 " 17 " 18 " 19 "	73.00 77.30 82.70 86.30 90.90 95.70 100.70 105.70	95.30 100.30 105.20 110.40 115.70 121.20 126.80 132.40	31 & 32 in.	21 ft. 22 " 23 " 24 " 25 " 26 " 27 " 28 "		334.40 343.20 352.30 361.60 371.20 381.10 391.20 401.60
19 & 20 in.	12 ft. 13 " 14 " 15 " 16 " 17 " 18 " 19 " 20 "	86.70 91.10 95.60 100.30 105.10 110.00 115.10 120.30 125.60	109.60 114.90 120.40 126.00 131.70 137.60 143.60 149.70 156.00	33 & 34 in.	22 ft. 23 " 24 " 25 " 26 " 27 " 28 " 29 "		376.60 386.00 395.50 404.90 415.60 426.00 436.70 447.60
21 & 22 in.	14 ft. 15 " 16 " 17 " 18 " 19 " 20 " 21 "	111.70 116.50 121.50 126.50 131.70 137.10 142.60 148.10	136.40 142.00 147.70 153.50 159.60 165.70 172.00 178.40	35 & 36 in.	23 ft. 24 " 25 " 26 " 27 " 28 " 29 " 30 "		421.70 431.60 441.70 452.10 462.80 473.70 484.90 496.40









No. 245 Fluted Column Scamozzi Cap Attic Base




No. 265 Fluted Column Greek Ionic Attic Base

Price on Pilasters to match above Columns. Percentages shown are based on Column prices.

Price for Section not covered by this Schedule given on application.

Bottom Face Plaster	Section	Section H"	Section
5- 6 m 7- 8 " 9-10 " 11-12 " 13-14 " 15-16 " 17-22 " 23-30 " 31-36 "	Same as Col. 10° c less 10° c 15° c 20° c 35° c 40° c	50' c more 40' " 25' " 25' " 15' c " 5' c less 15' "	55' more 45' a 35' a 30' a 20' a 10' a Same as Col. 10' o less 20' a





Chicago HARTMANN'SANDERS COMPANY

New York





No. 275
Fluted Columns
Angular Greek Ionic Cap
Attic Base

Price on Metal Plinths, see page 33.


For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.

Columns Nos. 235, 245, 265 and 275

Diameter at Bottom of Shaft	Length	2-in. Stave	1½-in. Stave	Diameter at Bottom of Shaft	Length	21 ₂ -in. Stave	3-in. Stave
5 & 6 in	6 ft. 7 " 8 "	\$ 15.30 16.00 17.10	\$ 14.10 15.10 15.90	23 & 24 in.	14 ft. 15 " 16 "	\$176.40 182.50 188.80	\$191.30 198.30 205.50
7 & 8 in.	6 ft. 7 " 8 " 9 "	19.90 20.90 22.10 23.90	17.90 18.90 20.10 21.90		17 " 18 " 19 " 20 " 21 "	195.20 201.70 209.60 217.60 225.60	212.90 220.70 229.90 239.30 249.10
9 & 10 in.	6 ft. 7 " 8 " 9 "	24.90 26.50 28.30 30.50 32.90	22.00 23.50 25.10 28.50 29.50	25 & 26 in	22 " 23 " 24 " 18 ft_ 19 "	233.70 242.00 250.40 224.70 231.20	259.10 269.30 279.90 250.90
11 & 12 in.	6 ft. 7 " 8 " 9 " 10 "	30.80 32.80 34.90 37.10 40.00	27		20 " 21 " 22 " 23 " 24 " 25 " 26 "	238.60 246.90 255.10 263.30 271.70 280.30	258.40 267.30 276.50 286.00 295.70 305.70 316.00
13 & 14 in.	7 ft. 8 " 9 " 10 " 11 " 12 "	42.00 44.70 47.50 50.80 54.30 57.90		27 & 28 in.	18 ft. 19 " 20 " 21 " 22 "	288.90 248.80 252.90 263.10 271.30 280.30	326,50 283,20 291,10 299,20 308,80 318,70
15 & 16 in.	8 ft. 9 " 10 " 11 " 12 " 13 " 14 "	56.00 59.50 63.10 67.60 72.30 77.10 82.00		29 & 30 in.	23 " 24 " 25 " 26 " 20 ft 21 " 22 "	289.10 298.00 307.20 316.40	328.80 339.30 349.90 360.80 333.30 341.90 352.00
Diameter at Bottom of Shaft	Length	2-in. Stave	21 ₂ -in. Stave		23 " 24 " 25 " 26 "		362.40 373.10 384.00 395.20
17 & 18 in.	10 ft. 11 ° 12 ° 13 ° 14 ° 15 ° 16 ° 17 ° 18 ° 19 °	\$ 76.80 80.80 84.90 89.20 94.40 99.70 105.20 110.80 116.50 121.40	\$ 98.00 102.50 107.20 112.00 117.90 123.90 129.90 136.30 142.70 148.20	31 & 32 in.	21 ft. 22 " 23 " 24 " 25 " 26 " 27 " 28 "		380.10 388.90 399.60 410.50 421.70 433.20 444.90 456.90
19 & 20 in	12 ft. 13 " 14 " 15 " 16 " 17 " 18 " 19 " 20 "	102.10 106.50 111.10 113.20 122.10 127.90 133.70 139.70 145.90	125.10 130.40 135.90 142.30 148.80 155.40 162.30 169.20 176.30	33 & 34 in	22 ft. 23 " 24 " 25 " 26 " 27 " 28 " 29 "		428.10 438.40 449.80 460,70 472.80 484.80 497.20 509.60
21 & 22 in	14 ft. 15 " 16 " 17 " 18 " 19 " 20 "	131.10 135.90 140.80 147.10 153.50 160.00 166.70	155.70 161.30 167.10 173.80 181.30 188.70 196.10	35 & 36 in.	23 ft. 24 " 25 " 26 " 27 " 28 " 29 " 30 "		481.10 490.90 503.10 515.50 528.10 540.80 554.30 567.80

Cincago





No. 250 Plain Column Corinthian Cap Attic Base



No. 280
Plain Column
Angular Greek Ionic Cap
With Necking Attic Base




No. 290
Plain Column
Erechtheum Cap
Attic Base

Price on Pilasters to match above Columns. Percentages shown are based on Column prices.

Price for Section not covered by this Schedule given on application.

Betrom Face of Pilanter	fecture organi	Section "H"	Section
5- 6 iu 7- 8 * 9-10 * 11-12 * 13-14 * 15-16 * 17-22 * 23-30 * 31-36 *	10°, Ice- 10°, 15°, 15°, 20°, 25°, 30°, 40°, 50°, 40°,	40 ° o more 30 ° o ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °	45% more 35% " 25% " 25% " 15% " Same as Col- 15% less





No. 300
Plain Column
Renaissance Cap
Attic Base


Price on Metal Plinths, see page 33.

For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.

Columns Nos. 250, 280, 290, 300

Diameter at Bottom of Shaft	Length	2-in. Stave	1½-in. Stave	Diameter at Bottom of Shaft	Length	21 ₂ -in. Stave	3-in. Stave
5 & 6 in.	6 ft. 7 " 8 "	\$ 14.50 15.30 16.30	\$ 13.30 14.10 15.10	23 & 24 in.	16 ft. 17 " 18 " 19 "	\$176.10 182.50 189.10	\$192.80 200.30 208.00
7 & 8 in.	6 ft. 7 " 8 " 9 "	18.50 19.60 20.90 22.10	16.50 17.60 18.80 20.20		20 " 21 " 22 " 23 "	195.70 202.50 209.00 216.30 223.40	216.00 224.30 232.80 241.60 250.70
9 & 10 in.	6 ft. 7 " 8 " 9 "	23.50 25.10 26.80 28.70	20.50 22.00 23.60 25.30	25 & 26 in	24 " 25 " 26 " 18 ft.	230.50 237.00 244.30 209.70	260.00 269.30 279.50 236.00
11 & 12 in.	10 " 6 ft. 7 " 8 " 9 " 10 "	30.80 29.30 31.40 33.50 35.70 38.10	27.20 25.50 27.30 29.20 31.20 33.30		19 " 20 " 21 " 22 " 23 " 24 " 25 "	215.30 222.90 229.70 236.70 243.50 250.90 258.30	243.50 251.20 259.20 267.50 276.00 284.80 293.90
13 & 14 in.	7 ft. 8 " 9 " 10 " 11 " 12 " 9 ft. 10 " 11 " 13 "	39.50 42.30 45.10 48.00 51.10 54.30 56.00 59.70 63.50 71.30 75.50		27 & 28 in	26 " 19 ft. 20 " 21 " 22 " 23 " 24 " 25 " 26 " 27 " 28 "	265.70 239.60 246.80 254.10 261.60 268.00 276.90 264.80 292.80 300.90 309.20	303.20 274.80 282.90 291.30 300.00 308.90 318.10 327.60 337.30 347.30 357.60
Diameter at Bottom	15 " Length	79_70 	2½-in.	29 & 30 in.	21 ft. 22 " 23 "	278.80 286.50 294.40	323.50 332.00 340.80
of Shaft 17 & 18 in.	12 ft. 13 " 14 " 15 "	\$ 79.70 84.00 88.40 92.90	\$102.00 106.80 111.90 117.10		24 " 25 " 26 " 27 " 28 "	302.40 310.50 318.80 327.20 335.70	349.90 359.30 368.80 378.70 388.80
	16 " 17 " 18 " 19 " 20 "	97.60 102.40 107.30 112.40 115.50	122.40 127.90 133.40 139.20 145.10	31 & 32 in	22 ft. 23 " 24 " 25 " 26 " 27 "		366.30 375.30 384.70 394.30 404.10
19 & 20 in.	13 ft. 14 " 15 " 16 " 17 " 18 " 19 " 20 " 21 "	98.90 103.50 108.10 111.60 115.90 122.90 128.10 133.40 138.90	122.80 128.30 133.90 139.60 145.40 151.50 157.60 163.90 170.30	33 & 34 in.	23 ft. 24 " 25 " 26 " 27 " 28 " 29 "		414.30 424.70 411.60 421.10 430.50 441.20 451.60 462.30
21 & 22 in.	15 ft. 16 " 17 " 18 " 19 " 20 " 21 " 22 " 23 " 24 "	124.90 129.90 134.90 140.10 145.40 150.60 154.50 162.30 168.10 174.10	150.40 156.10 162.00 168.00 174.50 180.40 186.80 193.30 200.00 206.80	35 & 36 in.	23 ft. 24 " 25 " 26 " 27 " 28 " 29 "		473.20 484.40 449.20 458.90 469.20 479.60 490.30 501.20 512.40 523.90





No. 255 Fluted Column Corinthian Cap Attic Base



No. 285
Fluted Column
Angular Greek Ionic Cap
with Necking Attic Base




No. 295
Fluted Column
Erechtheum Cap
Attic Base

Price on Pilasters to match above Columns. Percentages shown are based on Column prices.

Price for Section not covered by this Schedule given on application.

Bottom Face- of Pilaster	Section -F	Section "H"	Section
5- 6 m. 7- 8 " 0-10 " 11-12 " 13-14 " 15-16 " 17-22 " 23-30 " 31-36 "	10° less 10° a 15° a 20° a 35° a 40° a	50° more 40° " 25° " 25° " 15° " 5° les 15° " 30° "	55% more 45% " 35% " 30% " 20% " 10% " Same as Col 10% less 20% "





No. 305 Fluted Column Renaissance Cap Attic Base


Price on Metal Plinths, see page 33.

For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.

Columns Nos. 255, 285, 295 and 305

Diameter at Bottom of Shaft	Length	2-in. Stave	½-in. Stave	Diameter at Bottom of Shaft	Length	2½-in. Stave	3-in. Stave
5 & 6 in.	6 ft. 7 " 8 "	\$ 17.20 18.00 18.90	\$ 16.00 16.80 17.70	23 & 24 in.	16 ft. 17 " 18 " 19 "	\$199.90 206.30 212.80 220.70	\$216.50 224.00 231.70 240.90
7 & 8 in	6 ft. 7 " 8 " 9 "	22.00 23.10 24.30 26.00	20.00 21.10 22.30 24.00		20 " 21 " 22 " 23 "	228.70 236.70 244.80 253.10	250.40 260.10 270.10 280.40
9 & 10 in	6 ft. 7 " 8 " 9 "	27.50 29.10 30.80 33.10	24.50 26.00 27.60 29.70	25 & 26 in.	24 " 25 " 26 " 18 ft.	261.50 269.90 278.10 238.40	290.90 301.70 312.80 26.470
11 & 12 in	10 " 6 ft. 7 " 8 " 9 " 10 "	35.50 34.10 36.10 38.30 40.40 43.30	32.00		19 " 20 " 21 " 22 " 23 " 24 " 25 "	244.90 252.70 260.70 268.80 277.10 285.50 294.00	272.10 281.10 290.90 299.70 309.50 319.50 329.70
13 & 14 in	7 ft 8 " 9 " 10 " 11 " 12 "	46.10 48.90 51.70 55.10 58.50 62.10		27 & 28 in	26 " 19 ft. 20 " 21 " 22 "	302.70 273.50 280.70 289.20 297.87	340.30 308.70 316.80 326.40 336.30
15 & 16 in	9 ft. 10 " 11 " 12 " 13 " 14 "	64.00 68.50 73.10 77.70 82.50 87.50			23 " 24 " 25 " 26 " 27 " 28 "	306.70 315.60 324.70 333.90 343.20 352.70	346.40 356.40 367.50 378,40 389.60 401.10
Diameter	15 "	92.50 2-in.) le in	29 & 30 in	21 ft. 22 " 23 "		363.10 373.20
at Bottom of Shaft 17 & 18 in.	12 ft. 13 " 14 " 15 "	\$ 91.60 95.90 101.10 106.40	\$113.90 118.70 124.50 130.50		24 " 25 " 26 " 27 " 28 "		383 60 394 30 405 20 416 40 427 70 439 30
	16 " 17 " 18 " 19 " 20 "	111 90 117.50 123.20 129.10 135.10	136.50 142.90 149.30 155.90 162.50	31 & 32 in.	22 ft- 23 " 24 " 25 " 26 "		412.00 422.70 433.60 444.80 456.30
19 & 20 in.	13 ft. 14 " 15 " 16 " 17 " 18 " 19 " 20 " 21 "	114.40 118.90 124.40 130.00 135.70 141.60 147.60 153.70 160.00	138.30 143.70 150.50 156.70 163.30 170.10 177.10 184.10 191.30	33 & 34 in	27 " 28 " 23 ft. 24 " 25 " 26 " 27 " 28 "		468.00 480.00 464.00 475.20 486.10 498.40 510.40 522.70 535.20
21 & 22 in.	15 ft. 16 " 17 " 18 " 19 " 20 " 21 " 22 " 23 " 24 "	144.30 149.20 155.50 161.90 168.40 175.10 181.90 188.70 195.90 203.10	169.70 175.50 182.50 189.70 197.10 204.50 212.10 219.90 227.70 235.70	35 & 36 in	23 ft. 24 " 25 " 26 " 27 " 28 " 29 "		548.00 508.50 518.40 530.50 542.90 555.60 568.50 581.70 595.20





No. 310
Plain Column
Scamozzi Cap with
Pendants, Attic Base



No. 320 Plain Column Composite Cap Attic Base




No. 330
Plain Column
Temple of Winds Cap
Attic Base

Price on Pilasters to match above Columns. Percentages shown are based on Column prices.

Price for Section not covered by this Schedule given on application.

Bottom Face of Pilaster			Section "K"	
5- 6 in- 7- 8 " 9-10 " 11-12 " 13-14 " 15-16 " 17-22 " 23-30 " 31-36 "	10% less 10% " 15% " 15% " 20% " 30% " 40% "	40° more 30° " 20° " 20° " 10° " Same as Col. 10° less 25° " 40° "	45 % more 35 % " 25 % " 25 % " 15 % " Same as Col 15 % less	



Sections of Columns and Pilasters





Columns Nos. 310, 320, 330 and 340

Diameter at Bottom of Shaft	Length	2-in. Stave	1½-in. Stave	Diameter at Bottom of Shaft	Length	2½-in. Stave	3-in. Stave
5 & 6 in.	6 ft. 7 " 8 "	\$ 14.50 15.30 16.30	\$ 13.30 14.10 15.10	23 & 24 in.	16 ft. 17 " 18 "	\$176.10 182.50 189.10	\$192.80 200.30 208.00
7 & 8 in	6 ft. 7 " 8 " 9 "	18.50 19.60 20.90 22.10	16.50 17.60 18.80 20.20		20 " 21 " 22 " 23 "	195.70 202.50 209.00 216.30 223.40	216.00 224.30 232.80 241.60 250.70
9 & 10 in.	6 ft. 7 " 8 " 9 "	23.50 25.10 26.80 28.70 30.80	20.50 22.00 23.60 25.30 27.20	25 & 26 in.	24 " 25 " 26 " 18 ft.	230.50 237.00 244.30 209.70	260.00 269.30 279.50 236.00
11 & 12 in.	6 ft. 7 " 8 " 9 "	29.30 31.40 33.50 35.70 38.10	25.50 27.30 29.20 31.20 33.30		19 " 20 " 21 " 22 " 23 " 24 " 25 "	215.30 222.90 229.70 236.70 243.50 250.90 258.30	243.50 251.20 259.20 267.50 276.00 284.80 293.90
13 & 14 in.	7 ft 8 " 9 " 10 " 11 " 12 "	39.50 42.30 45.10 48.00 51.10 54.30		27 & 28 in.	26 " 19 ft. 20 " 21 " 22 "	265.70 239.60 246.80 254.10 261.60	303.20 274.80 282.90 291.30 300.00
15 & 16 in.	9 ft. 10 " 11 " 12 " 13 " 14 "	56.00 59.70 63.50 67.30 71.30 75.50			23 " 24 " 25 " 26 " 27 " 28 "	268.00 276.90 284.80 292.80 300.90 309.20	308.90 318.10 327.60 337.30 347.30 357.60
Diameter at Bottom	15 " Length	79.70 2-in. Stave	2½-in. Stave	29 & 30 in	21 ft. 22 " 23 " 24 "	278.80 286.50 294.40 302.40	323.50 332.00 340.80 349.90
of Shaft 17 & 18 in.	12 ft. 13 " 14 " 15 "	\$ 79.70 84.00 88.40 92.90	\$102.00 106.80 111.90 117.10		25 " 26 " 27 " 28 "	310.50 318.80 327.20 335.70	359.30 368.80 378.70 388.80
	16 " 17 " 18 " 19 " 20 "	97.60 102.40 107.30 112.40 115.50	122.40 127.90 133.40 139.20 145.10	31 & 32 in.	22 ft. 23 " 24 " 25 " 26 "		366.30 375.30 384.70 394.30 404.10
19 & 20 in.	13 ft. 14 " 15 " 16 " 17 " 18 " 20 " 21 "	98.90 103.50 108.10 111.60 115.90 122.90 128.10 133.40 138.90	122.80 128.30 133.90 139.60 145.40 151.50 157.60 163.90 170.30	33 & 34 in	27 " 28 " 23 ft. 24 " 25 " 26 " 27 " 28 " 29 "		414.30 424.70 411.60 421.10 430.50 441.20 451.60 462.30 473.20
21 & 22 in.	15 ft. 16 " 17 " 18 " 20 " 21 " 22 " 23 " 24 "	124.90 129.90 134.90 140.10 145.40 150.60 154.50 162.30 168.10 174.10	150.40 156.10 162.00 168.00 174.50 180.40 186.80 193.30 200.00 206.80	35 & 36 in	23 ft. 24 " 25 " 26 " 27 " 28 " 29 " 30 "		449.20 458.90 469.29 479.60 490.30 501.20 512.40 523.90

All prices are F. O. B. Chicago. For weights and freight rate, see page 48.

No. 340 Plain Column Scamozzi Cap with Necking, Attic Base

Price on Metal Plinths, see page 33.

For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.



No. 315 Fluted Column Scamozzi Cap with Pendant, Attic Base



No. 325 Fluted Column Composite Cap Attic Base





No. 335
Fluted Column
Tower of Winds Cap
Attic Base

Price on Pilasters to match above Columns. Percentages shown are based on Column prices.

Price for Section not covered by this Schedule given on application.

Buttim Fact- of Plaster	Sertion	Section	Section
5: 6 in. 7: 8 " 9:10 " 11:12 " 13:14 " 15:16 " 17:22 " 23:30 " 31:36 "	Same as Col. 10° c less 10° c 15° c 20° c 20° c 35° c 40° c	50', more 40', 25', 15', 5', 15', 30'',	55% more 45% " 35% " 30% " 20% " 10% " Same as Col. 10% less







No. 345 Fluted Column Scamozzi Cap with Necking Attic Base

Price on Metal Plinths, see page 33.

For columns made for interior in Clear White Pine, Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.


Columns Nos. 315, 325, 335 and 345

Diameter at Bottom of Shaft	Length	2-in. Stave	112-in. Stave	Diameter at Bottom of Shaft	Length	2½-in. Stave	3-in. Stave
5 & 6 in.	6 ft. 7 " 8 "	\$ 17.20 18.00 18.90	\$ 16.00 16.80 17.70	23 & 24 in.	16 ft. 17 " 18 "	\$199.90 206.30 212.80	\$216.50 224.00 231.70
7 & 8 in.	6 ft. 7 " 8 " 9 "	22.00 23.10 24.30 26.00	20.00 21.10 22.30 24.00		20 " 21 " 22 " 23 "	220.70 228.70 236.70 244.80 253.10	240.90 250.40 260.10 270.10 280.40
9 & 10 in.	6 ft. 7 " 8 " 9 "	27.50 29.10 30.80 33.10	24.50 26.00 27.60 29.70	25 & 26 in.	24 " 25 " 26 " 18 ft.	261.50 269.90 278.10 238.40	290.90 301.70 312.80 264.70
11 & 12 in.	10 " 6 ft. 7 " 8 " 9 " 10 "	35.50 34.10 36.10 38.30 40.40 43.30	32.00		19 " 20 " 21 " 22 " 23 " 24 " 25 "	244.90 252.70 260.70 268.80 277.10 285.50 294.00	272.10 281.10 290.90 299.70 309.50 319.50 329.70
13 & 14 in.	7 ft. 8 " 9 " 10 " 11 " 12 "	46.10 48.90 51.70 55.10 58.50 62.10		27 & 28 in.	26 " 19 ft. 20 " 21 " 22 "	302.70 273.50 280.70 289.20 297.87	340.30 308.70 316.80 326.40 336.30
15 & 16 in.	9 ft. 10 " 11 " 12 " 13 " 14 "	64.00 68.50 73.10 77.70 82.50 87.50			23 " 24 " 25 " 26 " 27 " 28 "	306.70 315.60 324.70 333.90 343.20 352.70	346.40 356.40 367.50 378.40 389.60 401.10
Diameter	15 "	92.50		29 & 30 in.	21 ft. 22 " 23 "		363.10 373.20 383.60
at Bottom of Shaft 17 & 18 in.	12 ft. 13 " 14 "	Stave \$ 91.60 95.90 101.10	\$113.90 118.70 124.50		24 " 25 " 26 " 27 " 28 "		394.30 405.20 416.40 427.70 439.30
	15 " 16 " 17 " 18 " 19 " 20 "	106.40 111.90 117.50 123.20 129.10 135.10	130.50 136.50 142.50 149.30 155.90 162.50	31 & 32 in.	22 ft. 23 " 24 " 25 " 26 "		412.00 422.70 433.60 444.80 456.30
19 & 20 in.	13 ft. 14 " 15 " 16 " 17 " 18 " 20 " 21 "	114.40 118.90 124.40 130.00 135.70 141.60 147.60 153.70 160.00	138.30 143.70 150.10 156.70 163.30 170.10 177.10 184.10 191.30	33 & 34 in.	27 " 28 " 23 ft. 24 " 25 " 26 " 27 " 28 " 29 "		468.00 480.00 464.00 475.20 486.10 498.40 510.40 522.70 535.20
21 & 22 in.	15 ft. 16 " 17 " 18 " 19 " 20 " 21 " 22 " 23 " 24 "	144.30 149.20 155.50 161.90 168.40 175.10 181.90 188.70 195.90 203.10	169.70 175.50 182.50 189.70 197.10 204.50 212.10 219.90 227.70 235.70	35 & 36 in.	23 ft. 24 " 25 " 26 " 27 " 28 " 29 "		548.00 508.50 518.40 530.50 542.90 555.60 568.50 581.70 595.20



Chicago HARTMANN'SANDERS COMPANY

New York





No. 165 Octagon Column



No. 175
Square Column
Paneled with Ornamental
Pendants



No. 180 Square Column Plain Shaft


To those not yet familiar with the quality of our work and our facilities for manufacturing columns, will say that we have a factory of forty thousand square feet floor space, which gives us the largest and best equipped factory building devoted exclusively to this class of work; and with twenty-two years of experience behind us, we have been able to perfect the organization of the various departments of our factory so that the different parts of the work are done by men particularly trained in correct column construction both from a mechanical as well as architectural standpoint.





Hartmann Sanders Company

New York






No. 185 Square Column Fluted

Price on Metal Plinths, see page 33.

For columns made for interior in Clear White Pine or Yellow Pine, add 25 per cent to above prices.

Prices on Interior Columns in Hardwoods quoted on application.


Size of Post in Inches	Length	No. 165	No. 180	Nos. 175-183
5 & 6 in.	6 ft.	\$ 21.00	\$ 13.80	\$ 19.00
	7 "	22.00	15.00	20.40
	8 "	25.00	17.40	23.00
7 & 8 in.	6 ft.	25.10	16.00	22.80
	7 "	28.40	18.00	25.80
	8 "	31.10	20.00	28.90
	9 "	35.10	22.00	32.00
9 & 10 in.	6 ft.	27.10	18.50	24.20
	7 "	30.80	31.00	28.00
	8 "	24.50	23.30	31.00
	9 "	38.10	25.70	34.70
11 & 12 in.	6 ft.	35.20	23.00	32.00
	7 "	29.60	25.70	36.00
	8 "	44.00	28.30	40.00
	9 "	48.40	31.00	44.00
	10 "	52.80	33.60	48.00
t3 & 14 in.	8 ft.	53.50	38.40	48.20
	9 "	58.70	41.70	53.30
	10 "	63.70	45.10	58.00
	11 "	68.90	48.40	62.70
	12 "	74.10	51.70	67.30
15 & 16 in.	8 ft.	60.70	42.70	55.20
	9 "	66.60	46.70	60.50
	10 "	72.50	50.70	65.90
	11 "	78.30	54.70	71.20
	12 "	84.20	58.70	76.50
	13 "	90.10	62.70	81.90
	14 "	95.90	66.70	87.20
	15 "	101.80	70.70	92.50
	16 "	107.70	74.70	97.90
17 & 18 in.	10 ft. 11 " 12 " 13 " 14 " 15 " 16 " 17 "	76.10 82.70 89.30 96.00 101.30 109.10 115.70 122.30 128.90	56.70 61.30 66.00 70.70 75.30 80.00 85.00 90.00 95.00	69.20 75.20 81.20 87.20 93.20 99.20 105.20 111.20 117.20
19 & 20 in.	16 ft.	124.30	96.00	113.00
	17 "	131.30	101.30	119.30
	18 "	136.70	106.70	124.30
	19 "	143.70	112.00	130.70
	20 "	150.70	117.30	137.00
21 & 22 in.	18 ft.	155.10	118.00	141.00
	19 "	162.40	124.00	147.70
	20 "	170.10	130.00	154.70
	21 "	177.50	136.00	161.30
	22 "	174.80	142.00	168.00
23 & 24 in.	18 ft.	174.90	139.60	168.00
	19 "	193.60	146.30	176.00
	20 "	202.40	152.90	184.00
	21 "	211.20	159.60	192.00
	22 "	220.00	166.00	200.00
	23 "	228.80	172.00	208.00
	24 "	237.60	178.70	220.00



Hardwood Columns Both Staved and Veneered


We are prepared to furnish columns for interior purposes in all hardwoods, either staved up or veneered. The veneered columns are made with our Lock Joint construction and veneered according to the most approved methods. Owing to the great variation in the prices of lumber entering into the manufacture of interior columns, we are not in position to publish an intelligent price on the same, but would be pleased to submit estimates upon application.





Lattice Work

We have a department for the manufacture of lattice work of all kinds for interior and exterior purposes and solicit inquiries on work of this character.









Flashing of Caps of Exterior Columns

The flashing of both wood and composition caps is so frequently omitted in the installation of columns, we deem it advisable to call attention to the importance of this feature. If the entire top of caps is not covered with the flashing of either galvanized iron, sheet lead or copper, the water, snow and ice that strikes the cornice or facia, is bound to run into and down the cap, effecting its ultimate disintegration. Furthermore, if the moisture has access from the top to the inside of the column, it will cause swelling of the material, thereby injuring the attractive appearance of the column.

Architects should see that this very important feature is not overlooked in their specifications, for all exterior columns. We are prepared to furnish these flashings for a slight additional charge over the price of the columns.



We have found from careful and extended study of ventilated cast iron plinths that they have filled a long-felt necessity. They not only eliminate the annoyance very often caused by the checking, dishing and ultimate decaying of mitred wood plinths, but also provide for the circulation of air to the inside of column shaft, which is a very essential feature. We are prepared to furnish ventilated cast iron plinths at a nominal cost in order to encourage their use. They are finished smooth and given one coat of mineral paint at the factory, and when painted on the job, they harmonize with the finish of the column.

Ventilated Cast Iron Plinths

Price of Square Cast Iron Ventilated Plinths

For Bottom Diameter of Shaft	Size o Square Pl		Height	Price
6 in.		quare	13 s in.	8 1.50
7 "	938 "	64	1 3 8 in. 1 3 4 "	1.60
8 "	1034 "	66	178 "	2.00
9 "	121/8 "	66	21 4	2.60
10 "	1312 "	44	21's " 23's " 25's " 23'4 " 3 "	3.20
11 "	1478 "	66	258 "	4.00
12 "	1614 "	66	234 "	4.84
13 "	1719 "	66	3 "	5.80
14 "	1834 "	66	336 "	6.60
15 "	201/4 "	66	358 "	7.80
16 "	2112 "	44	378 "	9,20
17 "	23 "	44	4 "	11.70
18 "	24 1/4 " 25 5/8 "	44	41/4 "	14.40
19 "	2558 "	66	410 "	17.50
20 "	27 "	66	43 ₄ " 51 ₄ " 51 ₂ " 53 ₄ "	19.80
21 "	2838 "	44	5 "	22.00
22 "	2934 "	44	514 "	24.20
23 "	3118 "	64	51/2 "	26.40
24 "	321/2 "	44	534 "	28.60
25 "	33 4	44	6 "	30.80
26 "	351 4	44	614 "	33.00
27 "	3612 "	44	612 "	35.20
28 "	38 "	6.5	634 "	37.40
29 "	391/4 "	44	7 "	39.60
30 "	401/2 "	66	71/4 "	41.80
31 "	42 "	44	712 "	45.50
32 "	4338 "	66	734 "	49.90
33 "	4434 "	44	8 "	57.20
34 "	46 "	"	81/4 "	64.50
35 "	47 ½ " 48 ¾ "	44	81/2 "	71.90
36 "	4834 "	44	834 "	79.20

The sizes given for square iron plinths are also the size of square wood plinths.



HARTMANN'SANDERS COMPANY Chicago

New York



Composition Caps

We manufacture our own Capitals of Composition for columns and pilasters.


All ornamental caps shown on the various column designs in this catalog are made of composition.

All our stock models are made of the proportions called for by the various orders of architecture. They are made of a fibrous material. Caps for exterior use are treated to withstand the deteriorating influence of the weather; those for interior use can be stained to match any finish of woodwork.

We are prepared to make special models according to architect's details.

The tops of exterior caps should always be flashed with galvanized iron, sheet lead, or copper; this is important and should not be overlooked. See page 33.

Instructions for Ordering Composition Caps



Diameter of column should be taken where shown on Fig. No. 1 for Corinthian, Erechtheum, Composite, Angular Greek with Necking, Scamozzi with Necking, Renaissance, and Temple of Winds capitals, and for all other capitals, either according to Figs. 2 or 3, whichever way the neck of shaft is turned.

Wood Dowels


Dotted lines indicate wood dowel, or core, which is to be used to carry the weight imposed on the column. This should be made about 1/8 inch longer than height of caps, so that the weight of the soffit will rest on a wood dowel and not on the cap. For capitals with 5 and 11-inch neck diameters make diameter 2 inches smaller in diameter; 12/16 inch, 21/2 inches smaller; for 17/24 inch, 31/2 inches smaller; and 25/30 inch, 4 inches smaller.

Pilaster Caps

Unless otherwise specified, pilaster caps will be furnished with same shaft measurements as column capitals and returning one-half. Note line drawing of section of columns and pilasters, shown on page 5 before ordering.



New York





Roman Ionic
As used on Columns Design 230, 235



Modern Ionic Empire



Scamozzi As used on Columns Design 240, 245




Erechtheum No Necking



Greek Ionic As used on Columns Design 260, 265


Price of Composition Caps shown on this Page





Angular Greek Ionic
As used on Columns Design 270, 275







Corinthian
As used on Columns Design 250, 255



Composite
As used on Columns Design 320, 325



Erechtheum As used on Columns Design 290, 295



Erechtheum Antae



Angular Greek Ionic (with Necking)
As used on Columns Design 280, 285



Renaissance
As used on Columns Design 300, 305



Temple of Winds

As used on Columns Design 330, 335




Scamozzi (with Pendant)

As used on Columns Design 310, 315



Scamozzi with Necking

As used on Columns Design 340, 345





For Columns Bottom Diameter	Top Diameter	Price	
6 in.	5 in.	5 4.80	
7 "	6 "	5.30	
8 "	612 "	6.00	
() "	710 "	6.80	
10 "	812 "	7.80	
11 "	91/2 "	8.80	
12 "	10 "	10.00	
13 "	11 "	11.30	
14 "	12 "	12.90	
15 "	1212 "	14.80	
16 "	1312 "	16.90	
17 "	1412 "	19.30	
18 "	15 "	22.00	
19 "	16 "	24.90	
20 "	17 "	28.00	
21 "	18 "	31.50	
22 "	1812 "	35.20	
23 "	19 "	38.90	
24 "	20 "	42.90	
25 "	21 "	46.20	
26 "	22 "	51.70	
27 "	23 "	53.20	
28 "	2312 "	62.10	
29 "	24 "	67.20	
30 "	25 "	72.00	
31 "	26 "	77.60	
32 "	27 "	83.50	
33 "	28 "	89.60	
34 "	29 "	96.00	
35 "	291/2 "	102.70	
36 "	30 "	109.30	

All prices are F. O. B. Chicago



Doric Cap







Women's Building, University of Illinois 6 Columns—32 inches diameter, 28 feet long W. Carbyn Zimmermann, Architect



Evanston Women's Club, Evanston, III. 6 Columns—24 inches diameter, 20 feet long E. A. Mayo, Architect







Weston Town Hall, Dorchester Center, Mass. Bigelow & Wadsworth, Architects 6 Columns—30 inches diameter, 30 feet long



Nutley Library, Nutley, N. J. Armstrong and DeGelke, Architects




Chicago

HARTMANN'SANDERS COMPANY

New York







First Congregational Church Danbury, Conn. Howell & Stokes, Architects

Old Lyme Church Old Lyme, Conn. Ernest Green, Architect







Chicago

E. J. Lewis, Jr., Architect

4 Columns—27 inches diameter, 24 feet long






Wheaton Norton Chapel College Norton, Mass.

Cram and Goodhue, Architects

16 Columns—24 inches diameter, 24 feet long







Residence at Lake Geneva, Wis. 16 Columns—30 inches diameter Shepley, Rutan and Coolidge, Architects



Adriance Residence at Nyack, N. Y.

8 Columns—24 inches diameter, 20 feet long. No. 245
24 Columns—15 inches diameter, 10 feet long. No. 240
Henry T. Child, Architect







E. J. Lehmann Residence at Lake Villa, Ill. 12 Columns—26 inches diameter, 20 feet long



Residence for W. W. Fuller, Briar Cliff, N. Y. 8 Columns—31 inches diameter, 21 feet long Arthur T. Remick, Architect



Porch Addition to Home of Paul Brauer, Chicago, III. Columns are 12 inches diameter, 10 feet long



Porch Addition to Home of J. F. Rowley, Wilmette, III. Howard Bowen, Architect Columns are 20 inches diameter, 18 feet long



Porch Addition to Home of F. B. Park, Kendallville, Ind.

Frederick Wallick, Architect

Chicago






Porch Addition to Home of Mr. Murphy, Evanston, Ill. Childs and Smith, Architects




Residence at New Orleans, La. Mr. Goldstine, Architect



Residence for W. W. Fuller, Briar Cliff, N. Y. 8 Columns—31 inches diameter, 21 feet long Arthur T. Remick, Architect



New York





Monmouth Hotel Spring Lake, N. J.

Watson & Huckle Architects

6 Columns—36 inches diameter, 26 feet long, No. 245

54 Columns—14 inches diameter, 12 feet long, No. 220


Weston Town Hall Dorchester Center, Mass.

Bigelow & Wadsworth, Architects



HARTMANN'SANDERS COMPANY

New York





Chicago



COLONIAL ENTRANCES


Our experience in furnishing exterior Millwork of Colonial Architecture enables us to faithfully carry out the architect's ideas and details in work of this character







New York



Freight Rate and Approximate Shipping Weight on Columns

Bottom Diameter in Inches	Length in Feet	Wt., Lbs.	Bottom Diameter in Inches	Length in Feet	Wt., Lbs.	Bottom Diameter in Inches	Length in Feet	Wt., Lbs.	Bottom Diameter in Inches	Length in Feet	Wt. Lbs
5 & 6	6	40	17 & 18	10	275	23 & 24	14	645	29 & 30	20	1260
64	7	50	4	11	300	44	15	685	11	21	1320
64	8	60	64	12	325	44	16	730	46	22	138
7 & 8	6	7()	44	1.3	350	44	17	765	66	23	144
64	7	85	44	14	375	44	18	800	66	24	1500
64	8	9.5	ü	1.5	400	64	19	830	44	25	150
44	()	100	46	16	425	66	20	865	46	26	162.
9 & 10	6	80	ü	17	450	44	21	900	44	27	168
64	7	90	66	18	475	44	22	935		28	174
64	8	1.00	66	10	500	66	23	970	31 & 32	20	136
64	()	115	44	20	525	66	24	1000	01000	21	142
64	10	1.30	19 & 20	12	390	64	25	1035	66	22	148
12 & 12	6	100	0	13	420	66	26	1080	44	23	154
49	7	120	ű.	14	450	25 & 26	18	840	64	24	160
	8	130	66	1.5	470	66	19	800	44	25	160
- 10	g	140	44	16	490	64	20	920	66	26	172
	10	155	ü	17	520	66	21	960	66	27	178
13 & 14	0	115	6	18	545	64	22	1000	44	28	184
64	7	130	64	10	560	44	23	1040	33 8 34	22	158
	8	145	64	20	595	64	24	1095	4	2,3	164
	()	160	21 & 22	1.4	630	44	25	1130	44	24	170
	10	190	64	1.5	635	44	26	1170	44	2.5	176
15 8 16	8	215	64	16	670	27 8: 28	18	1080	44	26	182
	0	230	64	17	710	4	19	1130	6.6	27	188
64	10	245	64	18	730	44	20	1180	61	28	194
	11	270	44	19	765	64	21	1260	35 & 36	22	1710
	1.2	205	64	20	795	44	22	1300	44	2.3	177
	1.3	310		21	825	64	23	1360	44	24	183
	14	325	-0.7	2.2	855	65	24	1410	ii ii	25	189
	15	340	-0	23	890	66	25	1460	65	26	195
	10	355	44	24	930	61	26	1520	-64	27	2010

NOTE.—Owing to the great difference in freight rates to different points in the country, it is difficult to quote an intelligent delivered price on our printed price list, but to enable the customer to arrive at the cost of a column delivered to his station, we give herewith the approximate shipping weights, with the freight rate to nearest freight station.

The freight rate to your station is

Caution should be taken before giving Railroad Company a receipt upon receiving goods to see that shipment is intact and items correspond with the bill of lading; also that shipment is in first-class condition. If not, protect yourselves by having agent make proper notation on the expense bill as to the damage or shortage so that you will have your claim properly substantiated.

Our responsibility comes after sliquient is delivered to the Railmad at Chicago, at which time we receive a clear receipt showing sliquient received in first-class condition; therefore we cannot make any allowances for shirtage or damage occurring while in transit. All prices F. O. B. Chicago.



